

Eaton MBP6KI

Catalog Number: MBP6KI

Eaton HotSwap MBP maintenance bypass, 6000 VA, Input: Hardwired, 200-240V, Outlets: (3) C13, (2) C19, Hardwired

General specifications



Product Name	Catalog Number
Eaton HotSwap MBP maintenance bypass	MBP6KI
	Model Code
	Eaton HotSwap MBP 6000i
UPC	Product Length/Depth
743172040145	185 mm
Product Height	Product Width
150 mm	305 mm
Product Weight	Compliances
3.28 kg	CE Marked
Certifications	
CE	

Product specifications

Number of Outputs C13

3

Phase

Single-phase

Electrical connection

Screwed terminal

Mounting dimension (standardized)

482.6 mm (19 inch)

Form factor

3U

Mounting direction

Horizontal

Package contents

- Maintenance Bypass
- Cable locking system
- Connection cable to the UPS
- Rack-mounting kit
- User manual

Input connection

Other

Number of outputs hardwired

1

Fitted with:

- Mounting material
- LED indication

Operating Temperature

0° to 40°C (32° to 104°F)

Ethernet interface

No

Number of outlets with earth pin

5

Mass configuration

No

Communication

No

Resources

Brochures

[Eaton UPS and battery services](#)

[Eaton UPS Services Quick Guide 2021](#)

Compliance information

[EU declaration of conformity Eaton 9PX UPS](#)

Number of Outputs C19

3

Outlet control

No

Switchable

No

Input voltage

200-240V

Color

Black

SNMP

No

Over voltage category

2

Outlets

(3) C13, (2) C19, Hardwired

Type

Hotswap MBP

VA rating

6000 VA

Serial interface

No

Mounting Dimension (metrical)

150



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)