

Product datasheet

Specifications



APC Symmetra RM 8-12kVA Battery Module

SYBT3

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead Time	Usually in Stock

Main

Product Or Component Type	Battery accessory
Number Of Rack Unit	0U
Number Of Cables	1
Battery Type	Lead-acid battery

Batteries & Runtime

Battery Location	Internal battery
Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Battery Life	3...5 year(s)
Number Of Battery Replacement Quantity	1
Battery Power In Vah	808 VAh

Physical

Height	13.5 cm
Width	16.5 cm
Depth	58.7 cm
Net Weight	28.18 kg
Mounting Mode	Not rack-mountable

Environmental

Ambient Air Temperature For Operation	0...40 °C
Operating Altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	-15...45 °C
Storage Altitude	0.00...15240.00 m
Storage Relative Humidity	0...95 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	43.9 cm
Package 1 Width	79 cm
Package 1 Length	33 cm
Package 1 Weight	31.36 kg

Contractual warranty

Warranty	2 years repair or replace, optional on-site warranties available, optional extended warranties available
----------	--

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

Take-Back Program Available

Well-being performance

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
