

# Product datasheet

Specifications



## APC NetShelter Rack PDU Advanced, Switched, 3Phase, 22.1kW 400V 32A or 17.3kW 415V 30A, 48 Outlets, IEC309

APDU10350SW

### Overview

Lead time Usually in Stock

### Main

Colour Black

Product or component type PDU

PDU type Switched

Cord length 1.8 m

### Complementary

Input Voltage 415 V 3 phases  
400 V 3 phases

Height 178.0 cm

Width 5.6 cm

Output Voltage 240 V

Depth 7.5 cm

Net weight 9.6 kg

Mounting location Side

Mounting preference No preference

Input Plug Type IEC 60309 30 A 3P + N + PE

Mounting mode Rack-mounted

Rack units 0U

Mounting position Vertical

Communication port protocol 1000BASE-T  
10/100BASE-T

[In] rated current 24 A

Permissible voltage 200...240 V  
346...415 V

Input current limits 30 A

Load capacity 17300 VA

Network frequency 50/60 Hz

Outlet type and quantity 24 C13/C15/C19/C21  
24C13/C15

### Environment

<b>Product certifications</b>	UKCA TAA compliance BAA compliance
<b>Standards</b>	UL 62368-1 CSA C22.2 No 62368-1 FCC part 15 Subpart B CE EN 62368-1
<b>IP degree of protection</b>	IP44
<b>Ambient air temperature for operation</b>	-5...60 °C
<b>Relative humidity</b>	5...95 %
<b>Operating altitude</b>	0...10000 ft
<b>Ambient air temperature for storage</b>	-25...65 °C
<b>Storage Relative Humidity</b>	5...95 %
<b>Storage altitude</b>	0.0000000000...15240.0000000000 m

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	198 cm
<b>Package 1 Width</b>	13.2 cm
<b>Package 1 Length</b>	26.2 cm
<b>Package 1 Weight</b>	12.6 kg

## Contractual warranty

<b>Warranty</b>	3 years repair or replace
-----------------	---------------------------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 3861

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

## Use Again

### Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back No

WEEE  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins