

# Product datasheet

Specifications



## NetBotz Door Switch Sensors (2) for an APC Rack - 12 ft.

NBES0303

### Overview

Presentation	Universal Sensor that monitors access to NetShelter SX Enclosures.
Lead Time	Usually Ships within 2 Weeks

### Main

Product Or Component Type	Sensor
Provided Equipment	Cable ties
Product Compatibility	4 - 20 mA sensor Rack sensor pod 150 Room sensor pod 155 Sensor pod 120 NetBotz USB camera pod Pelco IP110-CHV9

### General

Display Resolution	Up to 640x480
Connections Supported	Alarm beacon 1 PS/2 mini-DIN
Universal Sensor Supported	Door contact Humidity Smoke Temperature
Number Of Universal Sensor Ports	2
Number Of Sensor Pods Supported	0
Number Of Universal Sensors Supported	0
Sensor Humidity	10...90 % +/- 5 % non-condensing RH
Number Of Supported Camera	4 for networked 4
Measurement Range	1.6...48.8 °C: +/- 1 °C 35...120 °F:

### Physical

Height	1.9 cm
Width	14.6 cm
Depth	18.7 cm
Net Weight	0.37 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Output

Number Of Port	0
----------------	---

## Environmental

Ambient Air Temperature For Operation	0...45 °C
Operating Altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	-15...65 °C
Storage Altitude	0.00...15240.00 m
Storage Relative Humidity	0...95 %

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.8 cm
Package 1 Width	23.2 cm
Package 1 Length	16.4 cm
Package 1 Weight	0.489 kg

## Contractual warranty


Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)

## Well-being performance

 Reach Free Of Svhc

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

Weee

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins