

# Product datasheet

Specifications



## Network Management Card, UPS Network Management Cards, for Easy UPS 3 Series, 3-Phase, remotely monitor and manage the UPS

AP9547

### Overview

Presentation	<p>The Network Management Card for Easy UPS 3 Series (AP9547) enables secure remote monitoring and control of one Easy UPS 3S, Easy UPS 3M or Easy UPS 3L through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.</p> <p>A 12-month Secure NMC Subscription, that allows the customer to access future firmware updates, is included with the purchase of the card. Upon expiration of the provided Secure NMC Subscription the purchase of a new Secure NMC Subscription is required to access future firmware updates..</p>
Lead Time	Usually in Stock

### Main

Product Or Component Type	Network interface
Provided Equipment	User manual USB cable

### Physical

Height	4.4 cm
Width	5.2 cm
Depth	8.0 cm
Net Weight	0.05 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

### Conformance

Standards	CISPR 32 EN 55024 EN 61000-4-2 EN 61000-4-3 EN 61000-4-4 EN 61000-4-5 EN 61000-4-6 EN 61000-4-8 EN 61000-6-2 EN/IEC 62040-2
Product Certifications	FCC Class A ICES-003 VCCI class A AS/NZS

### Environmental

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature For Operation	-5...45 °C
Operating Altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	-15...65 °C
Storage Altitude	0.00...15240.00 m
Storage Relative Humidity	0...95 %

## Communications & Management

Communication Network Type	10/100/1000BASE-T
----------------------------	-------------------

## Packing Units



Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	17.0 cm
Package 1 Length	24 cm
Package 1 Weight	300 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	44
Package 2 Height	49 cm
Package 2 Width	35 cm
Package 2 Length	62 cm
Package 2 Weight	15.08 kg
Unit Type Of Package 3	PAL
Number Of Units In Package 3	352
Package 3 Height	114.9 cm
Package 3 Width	97 cm
Package 3 Length	97 cm
Package 3 Weight	125.6 kg

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)

## Well-being performance

	Mercury Free	
<hr/>		
	Rohs Exemption Information	<a href="#">Yes</a>
<hr/>		
<hr/>		
Reach Regulation		<a href="#">REACH Declaration</a>
<hr/>		
Eu Rohs Directive		Compliant with Exemptions
<hr/>		
China Rohs Regulation		<a href="#">China RoHS declaration</a>
<hr/>		