

Product Parameter Table

Specification



SEP6 PDU, Basic Type, 0U, 63A, 230V (20+8)GB1002, left side

SEP6131

overview

Delivery time	Usually available in stock.
---------------	-----------------------------

Key Information

color	black
Product Type	PDU
PDU type	Basic
Cable quantity	1

The equipment provided	Vertical mounting bracket
------------------------	---------------------------

Additional Information

Input Voltage	200...240 V AC 1 phase
Output Voltage	200...240 V
Installation location	side
Installation preferences	No preference
Installation type	Rack-mounted
Rack units	0U
Installation location	vertical
Voltage range	200...240 V
Load capacity	14490 AND
Number of sockets in a socket product	28
Network frequency	50/60 Hz
Outlet type and quantity	28 Chinese outlet chinese outlet

environment

Product Certification	THIS
Operating temperature	-5...60 °C
relative humidity	5...95 %
Working altitude	0...3000 m
Storage ambient temperature	-25...65 °C
Storage relative humidity	5...95 %
Storage height	0...15000 m

Packaging unit

Packaging 1: Packaging Unit Type	PCE
Units/kg	1
Packaging 1: Height	181 cm
Package 1: Width	25 cm
Package 1: Length	15 cm
Packaging weight	6.8 kg

Contract Warranty

Warranty (months)	24
-------------------	----



Schneider Electric aims to build supply chain partnerships, reduce the impact of materials, and promote material recycling through its ongoing "Use Better, Use Longer, Reuse" campaign.

The goal is to achieve net-zero emissions by 2050.

[Environmental Data Description](#) >



Environmental footprint

Total carbon footprint over life cycle

1 725 kg CO₂ eq.

[Environmental Disclosure](#)

[Product Environment Documentation](#)

Carbon footprint of the manufacturing stage [A1-A3]

68 kg CO₂ eq.

Carbon footprint during the distribution phase [A4]

37 kg CO₂ eq.

Carbon footprint during the installation phase [A5]

0.2 kg CO₂ eq.

Carbon footprint during the usage phase [B2, B3, B4, B6]

1 609 kg CO₂ eq.

Carbon footprint at the end of the life cycle [C1-C4]

11 kg CO₂ eq.

Use Better



Materials and Packaging

Recycled cardboard packaging

no

Plastic-free packaging

no

[EU RoHS Directive](#)

Eligible for exemption

REACH regulations

[REACH Statement](#)

China RoHS Management Measures

[China RoHS Statement](#)

Use Longer



Lifespan extension

repair

No

Use Again



Repackaging and Remanufacturing

Circulation materials

[End-of-life information for products](#)

Removable battery

no

Recycle

Not supported